

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE <div style="text-align: center;">J</div>		PAGE OF PAGES <div style="text-align: center;">1 2</div>	
2. AMENDMENT/MODIFICATION NO. <div style="text-align: center;">0001</div>		3. EFFECTIVE DATE <div style="text-align: center;">29 May 2002</div>		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable)	
6. ISSUED BY U.S. ARMY ENGINEER DISTRICT, ALBUQUERQUE CORPS OF ENGINEERS 4101 JEFFERSON PLAZA, N.E. ALBUQUERQUE, NEW MEXICO 87109-3435		CODE		7. ADMINISTERED BY (If other than Item 6)		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				(✓)		9A. AMENDMENT OF SOLICITATION NO.	
				X		DACA47-02-R-0014	
						9B. DATED (SEE ITEM 11) 09 May 2002	
						10A. MODIFICATION OF CONTRACTS/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended.							
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
<input checked="" type="checkbox"/> A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
<input type="checkbox"/> B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).							
<input type="checkbox"/> C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
<input type="checkbox"/> D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)							
PROJECT: FIRE/CRASH RESCUE STATION, CANNON AIR FORCE BASE, CURRY COUNTY, NEW MEXICO							
1. This is Amendment No. 1 to Solicitation No. DACA47-02-R-0014; 09 May 2002. The following revisions shall be incorporated into the specifications and drawings. All other provisions shall remain unchanged.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
(Signature of person authorized to sign)				BY (Signature of Contracting Officer)			

2. SPECIFICATIONS: Delete the following listed pages and substitute the pages attached hereto. On the revised pages, for convenience, changes are emphasized by the amendment number in parentheses before and after changes from the previous issue. All portions of the revised (or new) pages shall apply whether or not changes have been indicated.

<u>Delete Page</u>	<u>Insert Page</u>
Table of Contents, Page 1	Table of Contents, Page 1
--	01341-1 thru 01341-2 (New section)
02220-5	02220-5
13281-29 thru 13281-33	13281-29 thru 13281-30

3. DRAWING CHANGES: The following drawings shall be revised as stated below. Bidders are requested to change their drawings for bidding purposes. Successful bidder drawings will be issued to the successful bidder.

a. Sequence No. 3 (Sheet G02 of 3):

(1) In the index change the title for Sequence No. 56 from "Furniture Plan Bid Option #1" to "Furniture Plan".

(2) In the lower right hand corner of the drawing, delete "BID OPTION SUMMARY All items shown are base bid with the exception of Bid Option #1: CID (Comprehensive Interior Design) package. See sheet A22."

b. Sequence No. 56 (Sheet A22 of 40):

(1) Insert the following note on the drawing: "THIS DRAWING IS FOR INFORMATION ONLY".

(2) Change the detail title and the title in the title block from "Furniture Plan Bid Option #1" to "Furniture Plan".

(3) Delete the General Notes in their entirety.

4. DRAWING CHANGES: The following drawings have been revised and the sequence number changed to indicate such revision: 3.1, 8.1, 26.1, 45.1, 46.1, 50.1, 51.1, 52.1, 80.1, 84.1, 85.1, 90.1, 91.1, 92.1, 93.1, 94.1, 95.1, 96.1, 97.1, 98.1 and 99.1.

5. SECTION 00110, Submission Requirements and Instructions: The forms at the end of Section 00110 are available in Word format and they can be requested from the Technical POC, Dan Lenz.

6. Subsurface Investigations. Subsurface investigations are available on this web page in "data.pdf".

/////////LAST ITEM/////////

TABLE OF CONTENTS

DIVISION 1 - GENERAL REQUIREMENTS

(1)	01000	General Requirements	
	01040	Mechanical Room Layout And Coordination	
	01090	Sources For Reference Publications	
	01320	Project Schedule	
	01325	Scheduling System Data Exchange Format	
	01330	Submittal Procedures	
	01341	Color/Finish Sample Boards	(1)
	01356	Storm Water Pollution Prevention Measures	
	01410	Environment Protection	
	01415	Metric Measurement	
	01420	Safety	
	01430	Airfield Safety (Special Considerations)	
	01451	Contractor Quality Control	
	01455	Quality Control System (QCS)	
	01510	Utilities	
	01530	Temporary Fencing	
	01540	Security	
	01570	Traffic Control	
	01580	Bulletin Board, Project Sign And Project Safety Sign	
	01595	Office Equipment	
	01610	Aggregate Sources For Portland Cement Concrete	
	01720	As-Built Drawings	
	01725	Project Cost Estimate Of Building Components	
	01728	Transfer And Acceptance (Of Real Property)	
	01730	Operation And Maintenance Instructions	
	01740	Warranty Of Construction	

DIVISION 2 - SITE CONSTRUCTION

02220	Demolition
02300	Earthwork
02315	Excavation, Filling and Backfilling for Buildings
02316	Excavation, Trenching, and Backfilling for Utilities Systems
02466	Drilled Foundation Caissons (Piers)
02510	Water Distribution System
02531	Sanitary Sewers
02556	Gas Distribution System
02575	Pavement Removal
02576	Pavement Replacement
02578	Pavement Markings for Airfields
02579	Paint Removal from Airfield Pavement
02630	Storm-Drainage System
02722	Aggregate Base Course
02735	Prefabricated Gravity Oil/Water Separator
02741	Bituminous Paving for Roads, Streets, and Open Storage Areas
02748	Bituminous Tack and Prime Coats
02754	Concrete Pavements for Small Projects
02760	Field Molded Sealants for Sealing Joints in Rigid Pavements

SECTION 01341

COLOR/FINISH SAMPLE BOARDS

PART 1 - GENERAL

1.1 SUBMITTALS

a. Six (6) complete sets of coordinated color/finish sample boards shall be submitted to the Contracting Officer for approval within a period of time not to exceed 60 calendar days after Notice to Proceed (NTP). Upon receipt of the submitted samples, a 60-day review period by the Government can be anticipated.

b. Color/finish boards shall have attached samples of all interior appearance related construction items the Contractor proposes to furnish, including, but not limited to such items as interior paints and finishes; trim items; floor, wall and ceiling tiles; doors; plastic laminates for cabinet work, signage, etc. Each sample shall indicate color, texture, and finish and shall be identified as to type of material and area of installation. Identification of each sample shall include the transmittal number under which certification of the material represented has been or will be submitted in accordance with the requirements of Section, SUBMITTAL PROCEDURES. Technical compliance of all color/finish related materials must be established (i.e., submittals approval) prior to preparation and submittal of preliminary color boards. Submittals shall be complete; partial submittals will not be acceptable. The sample board backing material shall be of sufficient strength to maintain its original configuration after samples have been attached to it. The Contractor shall obtain approval of the total construction color board before start of any finish work involving any item included on the color board.

c. After receipt of final approval from the Government, the Contractor shall prepare and submit to the Contracting Officer one set of approved and corrected color/finish sample boards. Construction color boards must match those approved during design.

1.2 FORMAT

a. Binders: Provide submittals in 8-1/2" by 11" format. Use sturdy three-ring binders of appropriate diameter.

b. Card Stock Sheets: Sheets containing samples shall be heavy, medium gray illustration board (not white or colored) capable of supporting a four inch by eight inch quarry tile, without distorting binder release or causing sheet tear-out due to hole failure.

c. Mounting: Loose and lost samples are a major concern. All samples must stay mounted for many months of handling. Adhesives must be appropriate for the sample. For instance, white glue is appropriate for paper or cloth and construction adhesive is good for masonry.

d. Content: A typical color board consists of all samples, a finish schedule, floor plan, and interior elevations with each clearly indicating

the location of each finish/color. Items other than material sample boards may be folded to 8-1/2" by 11" (i.e., floor plans, finish schedules etc.).

e. Identification: Identify each sample by use, location, and manufacturer's name. Group according to the location where each used.

PART 2 - PRODUCTS (Not Applicable)

PART 3 - EXECUTION (Not Applicable)

- - o o - -

generation when the building is demolished. This wastestream shall be handled as a single, discrete wastestream and disposed of in entirety. The work shall comply with applicable provisions in 29 CFR 1926.62. An initial exposure assessment for lead shall be performed in accordance with 29 CFR.62(d); this shall include a minimum of 32 manhours of personal air monitoring for lead for each building.

(1) 3.8 FLUORESCENT LIGHT BALLASTS

Ballasts in fluorescent light fixtures in Buildings 159 and 166 may contain polychlorinated biphenols (PCB). No survey or testing data is available. A ballast without markings indicating that it is PCB free shall be disposed of in accordance with local, state, and federal laws for PCB containing materials.

3.9 MERCURY-CONTAINING MATERIALS

Mercury switch thermostats, mercury vapor lamps, and other mercury-containing materials and equipment may be present in Buildings 159 and 166. No survey or testing data is available. The Contractor shall be responsible for the disposal of mercury-containing materials in accordance with local, state, and federal laws.

(1)

- - o o o - -

INDIVIDUAL WORK TASK DATA ELEMENTS

Sheet __1__ of __2__

There is a separate data sheet for each individual work task.

WORK TASK DESIGNATION NUMBER: ____1____

LOCATION OF WORK TASK:

BUILDING 159

BRIEF DESCRIPTION OF THE LEAD HAZARD CONTROL ACTIVITY:

DEMO LBP-COATED (TURQUOISE) WINDOW FRAME AND WINDOW SILL

POST LEAD HAZARD CONTROL BUILDING/FACILITY USE:

TO BE RAZED

LEAD CONTAMINATED DEBRIS DISPOSAL DESTINATION:

DISPOSAL AS SOLID OR HAZARDOUS WASTE TO BE DETERMINED BY TCLP TEST OF
SPECIFIC DEMOLITION WASTE STREAM GENERATED.

CLEARANCE REQUIREMENTS:

VISUAL

INDIVIDUAL WORK TASK DATA ELEMENTS

Sheet 2 of 2

There is a separate data sheet for each individual work task.

WORK TASK DESIGNATION NUMBER: 2

LOCATION OF WORK TASK:

BUILDING 159

INTERIOR WALLS AND PARTITIONS

BRIEF DESCRIPTION OF THE LEAD HAZARD CONTROL ACTIVITY:

DEMO LEAD-CONTAINING COVE BASE STRIPS (SYNTHETIC)

POST LEAD HAZARD CONTROL BUILDING/FACILITY USE:

TO BE RAZED

LEAD CONTAMINATED DEBRIS DISPOSAL DESTINATION:

DISPOSAL AS SOLID OR HAZARDOUS WASTE TO BE DETERMINED BY TCLP TEST OF
SPECIFIC DEMOLITION WASTE STREAM GENERATED.

CLEARANCE REQUIREMENTS:

VISUAL

PROJECT: CRASH FIRE RESCUE STATION

MEETING DATE/LOCATION: May 22, 2002, Cannon AFB, NM

MEETING SUBJECT: Pre-Proposal Conference

NAME	ORG.	PHONE	FAX
GA Martin	GA MARTIN	828 1144	905 428 9491
Hank Barton	R+GS	806-355-3387	806-355-2451
Bobby Mercer	R+GS	806-355-3387	806-355-2451
Gary McCulloch	Lipham Const.	806-364-0763	806-364-6042
Robert McCurdy	man Plumbing	806-376-9797	806-376-9147
Chris Jones	Sentry Fire Prot.	806-376-8190	806-376-9147
Rick Watt	PENHALL (SUB DEMO)	520-251-2566	520-797-6765
Eddie Carr	LUTHER Const.	505 883-7718	505-883-1250
Layne Norris	Norris Elect	505 763-6851	505-769-1054
Bob Norris	" "	" " "	" " "
Kenneth Truelock	ECI Const	505 784-5018	505-784-5019
George K. Combs	Combs Elect Mech.	356 8754	Same
Thomas Denton	W.T. Denton	762 7592	762 6138
LANCE LANGAN	Lydick ENG	762-3772	762-9093
JAMES DENTON	W.T. DENTON MECH.	762-4001	762-1972
Paul McDonald	McDonald mech	478-2269	478 2851
Kenney Combs	Combs Elect Mech	356-8754	356-8754
Dean Kadell	ECI CONSTRUCTION	784-5018	784-5019.
DAN LENZ	CDE: ALB EST	505-342-3612	505-342-3407
RONNIE K. WYLIE	CDE CLOVIS	505-784-2870	505 784-2663
FABIAN LOPEZ JR.	CDE CLOVIS	505 784-4350	505 784-2663
DONNA RUSSELL	CDE	505 784-2740	505 784-2663